


NTP123

- High-brightness LED chips, efficacy up to 140lm/W
- CCT and power switch option available
- Polycarbonate base and diffuser, stainless steel clips
- Plug-and-play sensor and EM kit for option



Speedfit LED geartray and diffuser



Long bracket distance, easy fit



ITEM	POWER	LUMEN	LM/W	SIZE
NTP123	18	2520	140	580x80x75mm
NTP123	34	4760	140	1180x80x75mm
NTP123	48	6720	140	1480x80x75mm

NTP111

- High-brightness LED chips, efficacy up to 140lm/W
- CCT and power switch option available
- Polycarbonate base and diffuser, stainless steel clips
- Plug-and-play sensor and EM kit for option



Speedfit LED geartray and diffuser



15cm bracket distance, easy fit



ITEM	POWER	LUMEN	LM/W	SIZE
NTP111	18	2520	140	580x75x80mm
NTP111	34	4760	140	1180x75x80mm
NTP111	48	6720	140	1480x75x80mm
NTP111	60	8400	140	1780x75x80mm

NTP115

- Two body size with low and high output available, efficacy up to 140lm/W
- CCT and power switch option available
- Polycarbonate base and diffuser, stainless steel clips
- Plug-and-play sensor and EM kit for option



Speedfit LED geartray and diffuser



ITEM	POWER	LUMEN	LM/W	SIZE
NTP115A	20	2800	140	660x80x72mm
NTP115A	40	5600	140	1200x80x72mm
NTP115A	60	8400	140	1500x80x72mm
NTP115B	20	2800	140	660x110x87mm
NTP115B	40	5600	140	1200x110x87mm
NTP115B	60	8400	140	1500x110x87mm
NTP115B	75	10500	140	1800x110x87mm

NTP116

- High-brightness LED chips, efficacy up to 140lm/W
- CCT and power switch option available
- Polycarbonate base and diffuser, stainless steel clips
- Plug-and-play sensor and EM kit for option



15cm bracket distance, easy fit



BESA holes and side cable entries




ITEM	POWER	LUMEN	LM/W	SIZE
NTP116	20	2800	140	600x100x75mm
NTP116	40	5600	140	1200x100x75mm
NTP116	60	8400	140	1500x100x75mm
NTP116	70	9800	140	1800x100x75mm

NTP114

- CCT & power switch available
- Junction box wiring on both side, allowing linear connection
- Designed for surface and suspending mounting in industrial applications



CCT & power switch inside of junction box



ITEM	POWER	LUMEN	LM/W	SIZE
NTP114	18	2160	120	560x68x67mm
NTP114	36	4320	120	1150x68x67mm
NTP114	45	5400	120	1450x68x67mm

NTP120A


- High-brightness LED chips, efficacy up to 150lm/W
- Polycarbonate base and diffuser
- Tool-less fast wiring on both sides, allowing linear connection
- Sensor variant with remote control available



Tool-less fast wiring



15cm bracket distance, easy fit



ITEM	POWER	LUMEN	LM/W	SIZE
NTP120A	20	3000	150	600x70x64mm
NTP120A	40	6000	150	1200x70x64mm
NTP120A	50	7500	150	1500x70x64mm

NTP120C

- CCT switch available
- Junction box wiring on both side, allowing linear connection
- Designed for surface and suspending mounting in industrial applications



15cm bracket distance, easy fit

NTP122



- High-brightness LED chips, efficacy up to 150lm/W
- CCT & power switch available
- Rotatable end caps on both sides for easy opening and wiring



Pull-out piano terminal



CCT & power switch




ITEM	POWER	LUMEN	LM/W	SIZE
NTP120C	20	2000	100	600x70x64mm
NTP120C	40	4000	100	1200x70x64mm
NTP120C	50	5000	100	1500x70x64mm

ITEM	POWER	LUMEN	LM/W	SIZE
NTP122	20	3000	150	600x77x69mm
NTP122	40	6000	150	1200x77x69mm
NTP122	50	7500	150	1500x77x69mm



NTP118

- High-brightness LED chips, efficacy up to 140lm/W
- CCT switch option available
- Polycarbonate base and diffuser
- Rotatable end caps on both sides for easy opening and wiring
- Pull-out push-fit terminal at both ends for quick wiring



Speed Opening and wiring



Tool-less replaceable LED module

220-240V

50K Hours

5 YEAR

COLOUR CHANGE

IP65

Sensor

NTP119

- High-brightness LED chips, efficacy 120lm/W
- CCT and power switch option available
- Polycarbonate base and diffuser
- Rotatable end caps on both sides for easy opening and wiring



Rotatable end caps and piano key terminal

220-240V

30K Hours

3 YEAR

COLOUR CHANGE

POWER SWITCH

IP65



ITEM	POWER	LUMEN	LM/W	SIZE
NTP118	18	2500	140	617x72x67mm
NTP118	36	5000	140	1117x72x67mm
NTP118	45	6300	140	1467x72x67mm

ITEM	POWER	LUMEN	LM/W	SIZE
NTP119	18	2160	120	600x58x52mm
NTP119	36	4320	120	1200x58x52mm
NTP119	45	5400	120	1500x58x52mm

NTP112


- Toolless fast wiring
- CCT switch option available
- Polycarbonate base and diffuser



Toolless fast wiring



3CCT switch



ITEM	POWER	LUMEN	LM/W	SIZE
NTP112	18	2160	120	600x43x33mm
NTP112	36	4320	120	1160x43x33mm
NTP112	45	5400	120	1460x43x33mm

